




INDUSTRIAL

MACHINE LIGHTS





TRACKALPHA 24V

321 - 1281 mm
13 - 65 W
1300 - 6500 lm
IP67, 24 Vdc



TRACKALPHA 230V

441 - 1041 mm
19,5 - 45,5 W
1950 - 5200 lm
IP67, 230 Vac



COMPACT ALPHA

204 - 654 mm
6 - 24 W
550 - 2600 lm
IP67, 24 Vdc



HERIONOVA

329 - 974 mm
26,5 - 93 W
2400 - 8400 lm
IP67, 24 Vdc





VEGA

346 – 706 mm
13 – 32,5 W
1300 - 3300 lm
IP67, 24 Vdc



SIRIO P

32 – 63 mm
6 – 12 W
400 - 630 lm
IP68, 24 Vdc



ANTARIO

355 – 1000 mm
26,5 – 93 W
2400 - 8300 lm
IP67, 24 Vdc



MYROS

226 mm
10,5 W
900 lm
IP67, 24 Vdc





SIRIO BC

169 mm
6 - 12 W
450 - 630 lm
IP67, 24 Vdc



SIRIO BL

750 mm
6 - 12 W
450 - 630 lm
IP67, 24 Vdc



SIRIO BF

600 mm
6 - 12 W
450 - 630 lm
IP67, 24 Vdc



EPSYLON

250 - 1125 mm
10 - 50 W
900 - 4000 lm
IP68, 24 Vdc





LYSAR BC

—
163 mm
6 W
455 lm
IP54, 24 Vdc



SIRIO Q

—
142 mm
16 W
1450 - 1750 lm
IP67 | IP69
24 Vdc



LYSAR BF

—
700 mm
6 W
455 lm
IP54, 24 Vdc





SYRMA


184 – 664 mm
6,5 – 32,5 W
650 - 3250 lm
IP67, IP69K, 24 Vdc



TEIDE POWER S

342 – 1542 mm
10 – 50 W
1200 - 6000 lm
IP67, 24 Vdc





TEIDE POWER Q

342 – 1542 mm
10 – 50 W
800 - 4000 lm
IP54, 24 Vdc



MIZAR

390 – 1290 mm
12 – 48 W
1200 - 4800 lm
IP40, 24 Vdc



TEIDE ECO

342 – 1542 mm
5 – 25 W
400 - 2000 lm
IP54, 24 Vdc





BFITMA

700 mm
3 W
110 - 125 lm
IP65, 24 Vdc



JOB BR

835 mm
13 W
1100 lm
IP40, 24 Vdc



EPSYLON RGBW

160 - 910 mm
5,5 W - 44 W
16 - 3500 lm
IP68, 24 Vdc

